

SOLAR PHOTOVOLTAIC ENERGY

Introduction

Photovoltaics (PV) is a technology that converts sunlight directly into electricity. It was first observed in 1839 by the French scientist Becquerel who detected that when light was directed onto one side of a simple battery cell, the current generated could be increased. In the late 1950s, the space programme provided the impetus for the development of crystalline silicon solar cells; the first commercial production of PV modules for terrestrial applications began in 1953 with the introduction of automated PV production plants.

Today, PV systems have huge value use in areas remote from an electricity grid where they can provide power for water pumping, lighting, vaccine refrigeration, electrified livestock fencing, telecommunications and many other applications. With the global demand to reduce carbon dioxide emissions, PV technology is also gaining popularity as a mainstream form of electricity generation.

Several million solar PV systems are currently in use worldwide, with an installed capacity of 40GW globally by the end of 2010 (Renewables 2011Global Status Report), yet this is a tiny proportion of the vast potential that exists for PV as an energy source.

Photovoltaic modules provide an independent, reliable

electrical power source at the point of use, making PV particularly suited to remote locations. However, solar PV is increasingly being used in homes and offices for electricity to replace or supplement grid power, often in the form of solar PV roof tiles. The daylight needed is free, but the cost of equipment can take many years to achieve payback. However, in remote areas where grid connection is expensive, PV can be the most cost effective power source.

The use of PV electricity in developing countries

Most of the world's developing countries are within the tropics and hence have ample solar insolation (the total energy per unit area received from the sun). The tropical regions also benefit from having only a small seasonal variation of solar insolation, even during the rainy season, which means that, unlike northern industrial countries, solar energy can be harnessed economically throughout the year.

Practical Action, The Schumacher Centre, Bourton on Dunsmore, Rugby, Warwickshire, CV23 9QZ, UK T +44 (0)1926 634400 | F +44 (0)1926 634401 | E infoserv@practicalaction.org.uk | W www.practicalaction.org

Practical Action is a registered charity and company limited by guarantee. Company Reg. No. 871954, England | Reg. Charity No.247257 | VAT No. 880 9924 76 | Patron HRH The Prince of Wales, KG, KT, GCB



Figure 1: A photovoltaic panel being set up in rural Peru for domestic solar lighting. Photo credit: Practical Action / Marco Antonio Arango.



China, India and other developing countries are emerging as major solar PV manufacturers.

The dominant application for PV in developing countries is the solar home system (SHS). This involves the installation of PV systems of 30 to 50 peak watts (Wp), costing about \$300 to \$500 (U.S.) each, in individual homes, mainly in rural areas.

Apart from SHS, other applications of PV in developing countries include 1) PV-powered remote telecommunications equipment; 2) rural health clinic refrigerators; 3) rural water pumping; solar lanterns and 4) PV battery-charging programmes, which allow rural residents to purchase or rent batteries to provide electricity to their homes, and then recharge them at PV-powered charging stations. A few attempts have been made to establish PV-powered village power grids in developing countries, such as in Sagar 'Solar Island' off the cost of India (see later).

Cost of solar PV

The process of producing efficient solar cells is costly due to the use of expensive pure silicon and the energy consumed, and cost has been the major barrier to the widespread uptake of PV technology. As materials technology improves, costs are slowly dropping, making PV technology more attractive. Since 1976, costs have dropped about 20% for each doubling of installed PV capacity, or about 5%/year. Module prices have fallen from \$30/Wp in 1975 to less than \$1/Wp in 2012. Costs rose slightly in 2004 due to high demand (which outpaced supply) and the rising cost of silicon. The expectation is that the cost of PV will continue to come down as mass production increases and technologies evolve.

Note: Cost of PV modules is usually given in terms of Peak Watt (Wp), which is the power rating of the panel at peak conditions - that is at 1kWm⁻² irradiance at 25°C.

Technical issues

The nature and availability of solar radiation is described in the technical brief Solar Thermal Energy. Once the solar energy has arrived reaches the surface of a photovoltaic cell, the electrons become energised in proportion to the intensity and spectral distribution (wavelength distribution) of the light. When their energy level exceeds a certain point a potential difference is established across the cell. This is then capable of driving a current through an external load, such as a light or radio.

PV modules and arrays

When light falls on the active surface, the electrons in a solar cell become energised, in proportion to the intensity and spectral distribution (wavelength distribution) of the light. When their energy level exceeds a certain point a potential difference is established across the cell. This is then capable of driving a current through an external load.

All modern, commercial PV devices use silicon as the base material, mainly as mono- crystalline or multi-crystalline cells, but more recently also in amorphous form. Other materials such as copper indium diselenide and cadmium telluride are being developed with the aim of reducing costs and improving efficiencies. A mono-crystalline silicon cell is made from a thin wafer of a high purity silicon crystal, doped with a minute quantity of boron. Phosphorus is diffused into the active surface of the wafer. At the front electrical contact is made by a metallic grid; at the back contact usually covers the whole surface. An anti-reflective coating is applied to the front surface. Typical cell size is about 15cm diameter.

The modules in a PV array are usually first connected in series to obtain the desired voltage; the individual strings are then connected in parallel to allow the system to produce more current. The modules are then protected by encapsulation between glass and a tough metal, plastic or fibreglass back. This is held together by a stainless steel or aluminium frame to form a *module*. These modules, usually comprised of about 30 PV cells, form the basic building block of a *solar array*. Modules may be connected in series or parallel to increase the voltage and current, and thus achieve the required solar array characteristics that will match the load. Typical module size is 50Wp and produces direct current electricity at 12 V (for battery charging, for example).



Commercially available modules fall into three types based on the solar cells used.

- *Mono-crystalline cell modules:* the highest cell efficiencies of around 15% -18% are obtained with these modules. The cells are cut from a mono-crystalline silicon crystal.
- *Multi-crystalline cell modules.* The cell manufacturing process is lower in cost but cell efficiencies of only around 15% are achieved. A multi-crystalline cell is cut from a cast ingot of multi-crystalline silicon and is generally square in shape.
- Amorphous silicon modules. These are made from thin films of amorphous silicon where efficiency is much lower (10% 12%) but the process uses less material. The potential for cost reduction is greatest for this type and much work has been carried out in recent years to develop amorphous silicon technology. Unlike mono-crystalline and multi-crystalline cells, with amorphous silicon there is some degradation of power over time.

An array can vary from one or two modules with an output of 10W or less, to a vast bank of several kilowatts or even megawatts.

- *Flat plate arrays* fixed at a tilted angle and facing towards the equator, are most common. The angle of tilt should be approximately equal to the angle of latitude for the site. A steeper angle increases the output in winter; a shallower angle - more output in summer. It should be at least 10 degrees to allow for rain runoff.
- *Tracking arrays* follow the path of the sun during the day and thus theoretically capture more sun. However, the increased complexity and cost of the equipment rarely makes it worthwhile.
- *Mobile (portable) arrays* can be of use if the equipment is required in different locations such as with some lighting systems or small irrigation pumping systems.

Solar PV systems

While in industrialised countries there has been a rapid increase in grid connected PV systems, in developing countries the majority of PV systems are stand-alone off-grid systems. The off-grid systems can be used to drive a load directly; water pumping is a good example. Water is pumped during the hours of sunlight and stored for later use; or a battery can be used to store power for use for lighting during the evening. If a battery charging system is used. Electronic control apparatus will be needed to monitor the system. All the components other than the PV module are referred to as the balance-of-system (BOS) components. The figure below shows a typical configurations for an off-grid PV system. Such systems can often be bought as kits and installed by semi-skilled labour.



For correct sizing of PV systems, the user needs to estimate the demand on the system, as well as acquiring information about the solar insolation in the area (approximations can be made if no data is readily available). It is normally assumed that for each Wp of rated power the module should provide 0.85watt hours of energy for each kWhm⁻² per day of insolation (Hulscher 1994). Therefore if we consider a module rated at 200 Wp and the insolation for our site is 5 kWhm⁻² per day (typical value for tropical regions), then our system will produce 850Wh per day (that is 200 x 0.85 x 5 = 850).




Figure 2: Components of a typical off-grid PV system. Illustration: Neil Noble / Practical Action.

Some benefits of photovoltaics

- *No fuel requirements* In remote areas diesel or kerosene fuel supplies are erratic and often very expensive. The recurrent costs of operating and maintaining PV systems are small.
- *Modular design* A solar array comprises individual PV modules, which can be connected to meet a particular demand.
- *Reliability of PV modules* This has been shown to be significantly higher than that of diesel generators.
- *Easy to maintain* Operation and routine maintenance requirements are simple.
- *Long life* With no moving parts and all delicate surfaces protected, modules can be expected to provide power for 15 years or more.
- *National economic benefits* Reliance on imported fuels such as coal and oil is reduced.
- *Environmentally benign* There is no pollution through the use of a PV system nor is there any heat or noise generated which could cause local discomfort. PV systems bring great improvements in the domestic environment when they replace other forms of lighting kerosene lamps, for example.

PV applications in lesser developed countries

Rural electrification

- lighting and power supplies for remote building (mosques, churches, temples etc farms, schools, mountain refuge huts) low wattage fluorescent or LED lighting is recommended:
- power supplies for remote villages:
- street lighting:
- individual house systems (solar home systems):
- battery charging:
- mini grids.

See the Practical Action Technical Brief Rural Lighting

Water pumping and treatment systems

- pumping for drinking water:
- pumping for irrigation:
- dewatering and drainage:
- ice production:
- saltwater desalination systems:
- water purification.

See the Practical Action Technical Brief Solar PV Waterpumping

Health care systems

- lighting in rural clinics:
- UHF transceivers between health centres:
- vaccine refrigeration:
- ice pack freezing for vaccine carriers:
- sterilises:
- blood storage refrigerator.

PV is frequently used to power vaccine refrigeration in remote health centres. See the Practical Action Technical Brief *Solar Photovoltaic Refrigeration of Vaccines.*

Communications

- radio repeaters:
- remote TV and radio receivers:
- remote weather measuring:
- mobile radios:
- rural telephone kiosks:
- data acquisition and transmission (for example, river levels and seismographs).

Transport aids

- road sign lighting:
- railway crossings and signals:
- hazard and warning lights:
- navigation buoys:
- road markers.

Security systems

- security lighting:
- remote alarm system:
- electric fences.

Miscellaneous

• ventilation systems:



Figure 3: The La Encanada infocentre, Peru has solar panels to generate electricity and a satellite for connectivity. Photo: Practical Action / Jaime Soto.



- pumping and automated feeding systems on fish farms:
- solar water heater circulation pumps:
- boat / ship power:
- vehicle battery trickle chargers:
- earthquake monitoring systems:
- emergency power for disaster relief.

Other issues

Local assembly of PV modules and BOS components

While generally it is only the larger developing countries which have capacity to manufacture solar cells, it is increasingly common for assembly of the module and the balance of system (BOS) components in many developing countries. This not only reduces the overall cost of the system, but creates local employment and ensures that the systems are designed for local applications.

Solar co-operative for Bangladeshi women

The consultancy Prokaushali Sangsad Limited (PSL) realised the need for both good quality lighting and employment for unskilled women on the remote island of Char Montaz in Bangladesh. They set up the Coastal Electrification and Women's Development Co-operative (CEWDC). The 35 co-operative members assemble photovoltaic solar home systems and sell them to island families, and also run a battery charging service.

Solar home systems (SHS) are small, stand-alone electrical systems. They consist of a photovoltaic (PV) module; a re-chargeable battery; a charge controller, which prevents the battery from being over-charged or deep-discharged; fluorescent lamps rated from 6 to 11 W; wiring and fixtures. The PV modules, are rated at 20 to 80 Wp with 50 Wp the most popular size. A system based on a 20 Wp module can supply two or three 6 W lamps for about four hours per day: at the other end of the range, an 80Wp system can power four 8 W lamps and a black and white television set.

Source: Ashden Awards for Sustainable Development

Dissemination to remote areas

When disseminating solar PV to remote locations, it is important that there is sufficient engineering capacity in the area to supply, install and maintain the solar systems. In addition, in low-income areas, micro credit is an important element of a dissemination programme, to allow the cost of the system to be paid back by sales over a period of time.

Solar energy to meet basic needs in the Himalayas

Over the past 10 years pioneering project has been introducing solar technology to remote and inaccessible villages in the Himalayas. Run by the Barefoot College in Rajasthan, India, the project has shown that with appropriate training, poor and rural communities can install solar equipment in their villages and then maintain it without any further external help. The project has trained illiterate and semi-literate villagers as 'Barefoot Solar Engineers', (BSEs) at its Barefoot College. After the training, they return to their home villages to install solar units and provide their communities with a skilled and competent repair and maintenance service.

Source: Ashden Trust Awards for Sustainable Energy

Hybrid systems

Solar PV can be used in conjunction with other energy technologies to provide an integrated, flexible system for remote power generation. These systems are referred to as hybrid systems. Common configurations of hybrid systems include a solar PV array, wind generator and diesel generator set which would allow generation in all weather conditions. Such systems need careful planning.



Solar lanterns

Originally designed for the outdoor leisure market in Western countries, this simple lantern with a small PV module (5 - 10 watts) is ideal for use in rural areas of developing countries to replace kerosene lamps.

Glowstar - Kenya

The solar lantern, "Glowstar" has been designed as a low-cost alternative to a solar home system and is intended to allow rural families in Kenya to climb the first step on the "energy ladder". The lantern is cheap to maintain and harnesses a free and plentiful source of energy as it is powered by sunshine. The solar lantern kit consists of a photovoltaic panel, and a lantern containing a high efficiency lamp, a rechargeable battery and a charge control circuit.

The solar lantern is ideal for any application where there is no local connection to grid electricity such as rural households and farms, schools and colleges, hospitals, health clinics and other community centres. It also has important applications where there is an inconsistent or unreliable supply of electricity.

Source: Practical Action Consulting.

LED lighting

In recent years solar PV has been coupled with Light Emitting Diodes (LEDs) to provide energy efficient light. Recent advancements in LED technology have led to the development of white light emitting diodes (WLEDs). WLEDs provide a bright white light that is ideal for domestic lighting. The advantage of using LEDs with solar PV systems is that the LED requires a much lower wattage (less than conventional compact fluorescent light bulbs), therefore the size and the cost of the solar system are much reduced for each household.



Figure 4: A woman with her locally made WLED lamps, Nepal. Photo credit: Practical Action / Rakesh Shrestha.

Micro grids

Solar PV can be used for providing power for small grid systems, with centralised power generation. As the cost of PV cell production drops, their use for medium scale electricity production is being adopted more widely. There is also scope for large-scale electricity production for such applications as peak power provision.

Sagar Island - solar island

Sagar Island is in the south-western corner of the Ganges delta, in India. The West Bengal Renewable Energy Development Agency (WBREDA) has been working on Sagar Island since 1996 to address the problem of energy supply. Since then it has set up a total of 11 small solar PV power plants, on Sagar Island and its neighbour Maushuni Island. Each plant has its own mini-grid system that distributes electric power to the surrounding villages. The grids are switched on for six hours a day, from 6pm to midnight, and are managed by cooperative societies formed by the villagers who use the power.

The 11 power plants in operation supply stable and reliable 400 / 230V, 3 phase, 50Hz power for six to seven hours a day through local distribution lines. The combined capacity of the plants is 400Kw and WBREDA estimates that a further 400Kw is needed in order to electrify all the villages in the two islands.

Source: Ashden Trust Awards for Sustainable Energy



Resources and references

- Solar Photovoltaic System Design Info Sheet http://practicalaction.org/solar-photovoltaic-system-design-info-sheet
- Solar PV Waterpumping <u>http://practicalaction.org/solar-photovoltaic-waterpumping-1</u>
 Practical Action Technical Brief
- Solar PV Refrigeration of Vaccines Practical Action Technical Brief
 <u>http://practicalaction.org/solar-photovoltaic-refrigeration-of-vaccines-1</u>
- *Rural Lighting* Practical Action Technical Brief <u>http://practicalaction.org/rural-lighting-1</u>
- Batteries Practical Action Technical Brief http://practicalaction.org/batteries
- A Practical Guide to Solar Photovoltaic Systems for Technicians: Sizing, Installation and Maintenance by Jean-Paul Louineau, Practical Action Publishing. 2008 http://developmentbookshop.com/practical-guide-to-solar-photovoltaic-systems-for-technicians.html
- *Photovoltaics Design and Installation Manual: Renewable Energy Education for a Sustainable Future,* Solar Energy International, New Society Publishers, 2004
- *Practical Handbook of Photovoltaics: Fundamentals and Applications*, T. Markvart and L. Castañer (eds), Elsevier, Oxford, 2003.
- *Solar Electricity (Second Edition),* Tomas Markvart (ed): Publisher: John Wiley & son, 2000.
- A case study on private provision of photovoltaic systems in Kenya, Energy and Development Report, Energy Services for the World's Poor, M. Hankins, World Bank, ESMAP, 2000, ch 11. http://www.worldbank.org/html/fpd/esmap/energy_report2000/
- *Renewable Energy Technologies.* H.P. Garg, D. Gouri, and R. Gupta, Indian Institute of technology and the British High Commission, 1997.
- *Renewable Energy Technologies in Africa.* S. Karekezi and T. Ranja: AFREPREN / SEI / Zed Books, 1997.
- *Rural Lighting A guide for development workers.* J.P. Louineau, M. Dicko, P. Fraenkel, R. Barlow and V. Bokalders, Practical Action Publications and The Stockholm Environment Institute, 1994.
- *Photovoltaic Applications in Rural Areas of the Developing World.* G. Foley, World Bank, 1995.
- *Best Practices for Photovoltaic Household Electrification Programs.* A. Cabraal, M. Cosgrave-Davies and L. Schaeffer, World Bank, 1996.

Internet addresses

International Solar Energy Society <u>www.ises.org</u>

U.S. National Centre for Photovoltaics <u>www.nrel.gov/ncpv</u>

International Energy Agency Photovoltaic Power Systems Programme <u>www.iea-pvps.org/</u>

http://energy.sourceguides.com/ Directory of renewable energy suppliers

Home Power Magazine <u>www.homepower.com/</u>

Solar Global <u>http://www.solar-global.net/solar-directory.html</u> Solar company directory

Solarbuzz Inc. www.solarbuzz.com A directory of solar system suppliers

Manufacturers/Suppliers of photovoltaic products

Note: This list of suppliers is not exhaustive and does not imply endorsement by Practical Action.

Below are just a few examples of the many companies providing solar power around the world.

Lotus Energy Pvt. Ltd., Bhatbhateni Dhunge Dhara, P.O. Box 9219, Kathmandu, Nepal Tel: +977 1 418 203 Fax: +977 1 412 924 E-mail: <u>info@lotusenergy.com</u> Web: <u>www.lotusenergy.com</u>

CIME Commercial S.A., 132 Industrial Ave Lima – Tie Peru Tel: (51) (1) 326-0601 Fax: (51) (1) 326-4879 E-mail: <u>cime@cime.com.pe</u> <u>http://www.cime.com.pe/index.php</u> <u>http://www.cime.com.pe/index.php?op=SE_SOL</u> <u>AR</u>

Link Intertrade (Private) Ltd., 385C Old Kotte Road, Rajagiriya, Sri Lanka Tel: +94 1 873 211-2 Fax: +94 1 867 952 E-mail: <u>intertrade@link.lk</u>

Solarman Co., P.O. Box 11545, Khartoum, Sudan Tel: +249 11 472 337 Fax: +249 11 473 138 Email: <u>solarman29@hotmail.com</u>

Alternative Technologies Pvt. Ltd., 3 Canald Road, Graniteside, Harare, Mash Cent, Zimbabwe Tel: +263 4 781 972-7 Fax: +263 4 775 264 E-mail: <u>snakes@zambezi.net</u>

Solar modules

Sharp Photovoltaics Div 282-1 Hajikami, Shinjo-cho, Kita-Katsuragigun, Nara Prefecture 639-2198, Japan Tel: +81 745 - 63 35 63 Fax: +81 745 - 63 35 87 Web: <u>http://sharp-world.com/</u> <u>http://www.sharp-solar.com/en/</u> Kenital Solar Energy Ngong Road, P.O. Box 19764, Nairobi, Kenya Tel: +254 2 715 960 Fax: +254 2 718 959 E-mail: <u>info@kenital.com</u> Web: <u>www.kenital.com</u>

M/S Wisdom Solar (Private) Ltd o. 434, Thalawatugoda Road Madiwela, Kotte, Sri Lanka Tel: 011 277 9790 -1 & 011 4958 938, Fax: 001 277 9790, Mob: 077 751 5595 E-mail: <u>herathd@sltnet.lk</u> <u>herath@wisdomsolar.lk</u> <u>http://www.wisdomsolar.lk/about-us.html</u>

Solar Power & Light Co. Ltd., 10 Havelock Place, Colombo 5, Sri Lanka Tel: +94 1 688 730 Fax: +94 1 686 307

U.T.E. Group of Companies, P.O. Box 2074, Khartoum, Sudan Tel: +249 11 70147 Fax: +249 11 70147

Solamatics, 31 Edison Crescent, Graniteside, P.O. Box 2851, Harare, Zimbabwe Tel: +263 4 749 930 Fax: +263 4 771 212 E-mail: <u>mikem@mcdiarmid.co.zw</u>

Zentrale Bosch Solar Energy AG Robert-Bosch-Straße 1 99310 Arnstadt Deutschland Tel: +49 (0)361 2195 0 Fax: +49 (0)361 2195 1133 E-mail: <u>info.se@de.bosch.com</u> Web: <u>http://www.bosch-solarenergy.de/</u> Bharat Heavy Electricals Ltd. (BHEL) BHEL House, Siri Fort, New Delhi - 110049, India Tel: +91 11 26001010 (multiple lines) Fax: +91 11 26493021; +91 11 26492534 E-mail: <u>query@bhel.com</u> Web: <u>www.bhel.com</u> Central Electronics Ltd. (CEL) 4 Industrial Area, Sahibabad, Uttar Pradesh 201010, India Tel: 91 120 2895165 Fax: 91 120 2895148 E-mail: <u>cel@celsolar.com</u> Web: <u>www.celsolar.com</u>

This technical brief was rewritten by Alison Doig for Practical Action in October 2007 and last updated in April 2012.

Practical Action The Schumacher Centre Bourton-on-Dunsmore Rugby, Warwickshire, CV23 9QZ United Kingdom Tel: +44 (0)1926 634400 Fax: +44 (0)1926 634401 E-mail: <u>inforserv@practicalaction.org.uk</u> Website: <u>http://practicalaction.org/practicalanswers/</u>

Practical Action is a development charity with a difference. We know the simplest ideas can have the most profound, life-changing effect on poor people across the world. For over 40 years, we have been working closely with some of the world's poorest people - using simple technology to fight poverty and transform their lives for the better. We currently work in 15 countries in Africa, South Asia and Latin America.