Solar Lanterns by 'Alfa Therm'



System Details:

System	Model	Price – Rs.
01 Lantern (Portable) with a	ST/SL/01	20,000/=
10W solar module.		
01 Lantern (Portable) with a	STAR SOLAR	16,000/=
Solar Module		

Features:

- The Solar Lantern provides a convenient portable lighting kit for households, farmhouses, camping sites, construction sites and many more.
- The in-built Solar Battery of the Solar Lantern is charged via a lightweight 10W "BP Solar" Solar Module.
- The energy-saving bulb provides bright, omni-directional light up to 5 hours of continuous light on a single charge.

Dissemination: Number not available

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk
Web: www.solartherm.lk

Solar Garden Lights by 'Alfa Therm'





System Details:

Centralized AC/DC Systems with 7W CFLs (Automatic Operation)

DC System	PV Panel	Battery
03 lamps	30W	65Ah
06 lamps	40W	65Ah
08 lamps	50W	90Ah
10 lamps	60W	90Ah
12 lamps	75W	100Ah

Price varies from Rs. 96,000 to 256,000 depending on the system details. The prices are inclusive of supply of all the materials, underground wiring and installation. The cable length for each lamp is limited to maximum of 20 meters from the battery.

Features:

- Solar Garden Lighting Systems are easy to install and operate, adding an aesthetic touch to Gardens, Gateways and Pathways on residential layouts and office complexes.
- Powered by a "**BP Solar**" Solar Module, these systems offer highly efficient, ecofriendly means of garden lighting with minimum maintenance.
- Energy saving CFL bulbs provides bright illumination, and the general daily operational hours can be increased with a higher capacity Solar Module.
- System autonomy for "No Sunshine" days and Pre-set Operation Time Auto On/Off feature are added advantages.

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544 E-mail: solartherm@eureka.lk Web: www.solartherm.lk

Solar Home Lighting Systems by 'Alfa Therm'





System Details:

DC System	PV Panel	Battery
03 Lamps	30W	65Ah
06 Lamps	40W	65Ah
08 Lamps	50W	90Ah
10 Lamps	60W	(0Ah
12 Lamps	75W	10Ah

Prices vary from Rs. 65,000 to Rs. 140,000. The prices are inclusive of supply of all the materials, wiring and installation.

Features:

- PV Panels of international standard BP Solar
- Series connected Crystalline Silicon Solar Cells
- Available in a wide range up to 170 watts
- Resistant to water, abrasion and hail impact
- Lightweight anodized aluminium frame with edge sealant around the Laminate
- Ethyl Vinyl Acetate (EVA) Encapsulant
- Weather proof junction box, with hinged lid and captive screws, 3 point cable entry with cable glands, suitable for both series and parallel connectivity.
- Suitable for Domestic Lighting, Street Lighting, Domestic Power Grid Connect Power Plants, Medical Refrigeration, Navigational Aids, Offshore Platforms, Railway Signaling, Telecommunications, Telemetry, Water Pumping, Rural Electrification, Solar Lanterns... and more!

"SOLAR THERM" Solar Home Lighting Systems have been a key feature in rural electrification Sri Lanka, and over 2,500 have been installed under the World Bank

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk
Web: www.solartherm.lk

Security/Street Lighting Systems by 'Alfa Therm'



System Details:

Security/Street Lighting (15W CFL)

System	PV Panel	Battery
01 Lamp – 06 hrs	40W	65Ah
01 Lamp – 08 hrs	50W	65Ah
01 Lamp – 10 hrs	60W	65Ah
01 Lamp – 12 hrs	75W	90Ah

Estimated price vary from Rs. 90,000/= to Rs. 110,000/= per system. The prices are inclusive of stand alone pole mounted Security/Street Lighting Systems with all the materials

Features:

- Solar Street Lighting Systems are ready-to-install, standalone units with negligible maintenance involved. A "BP Solar" Solar Module and a high performance "SOLAR THERM" Solar Battery.
- Galvanized Steel Pole supporting the Lamp Head and the Battery Enclosure ensures all-weather proof operation, and the system features up to 4 days System Autonomy and Auto On/Off, Dusk to Dawn Operation.
- Available in a range of models, Solar Street Lighting Systems are ideal for illuminating roads, highways, bridges, townships & housing schemes, hotels & resorts, forest areas, watch towers, railways, shipyards, etc.

About 500 units have been installed in various parts of Sri Lanka

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk
Web: www.solartherm.lk

Solar Generator by 'Alfa Therm'



System Details:

Solar Generator (Solar Mobile Power Pack – 230V AC)

System	Capacity			
Inverter Capacities	150W	300W	500W	1000W
(with 65Ah battery)				
Module Capacity	30W	40W	50W	75W

For greater power requirements more than one Solar Module may have to be used. Price of the system is Rs. 70,000/= up.

Features:

- "SOLAR THERM" Solar Generator provides an alternate power source during power failures and power cuts, and as an excellent method of providing uninterrupted power supply to Refugee Camps, Camping Sites, Medical Centers in rural areas, Construction Sites, Pilgrimage Locations, etc.
- The Solar Generator is designed and manufactured to generate clean energy by using Solar Power minimizing air & noise pollution. Mobility and easy installation are added advantages.
- An easy to install 'BP Solar' Solar Module is used to charge the "Solar Therm" Solar Battery through a Solar Charge Controller. The battery supply is converted to 230Volts by a highly sophisticated Power Inverter, of which the efficiency is remarkably high.
- These Solar Generators are available in various capacities to suit different power requirements. A 12V DC out put Solar Generator is also available.
- All the safety precautions including a Trip Switch and Circuit Breakers are installed to ensure the safety of the user and the appliances.
- Among the equipment which could be operated with the "SOLAR THERM" Solar Generator include Energy Saving Bulbs, Fans, Television, VCRS, VCD/DVD players, Radio/Cassette Recorders, Laptop Computers, Telephones, Telephone Systems, Fax Machines, Medical Refrigerators and many more.

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk Web: www.solartherm.lk

Solar Water Pumping Systems by 'Alfa Therm'



System Details:

- Offering farmers valuable savings every month, Solar Water Pumping Systems are an environment-friendly and energy efficient option to conventional electric or diesel-powered pumps.
- Solar Water Pumping Systems are available as Surface and Submersible Systems up to 2HP rating pumps.
- These systems can lift water from depths up to 50 meters and deliver up to 135,000 Liters per day.
- The systems are ideally suited for agricultural applications, irrigation fields as well as for domestic and community usage.

Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk
Web: www.solartherm.lk

Solar Domestic Water Heating Systems by 'Solar Therm'



System Details:

Model	Panel Area	Capacity
SW/ST/75L	1x600mmx1220mm	75 Litres
Recommended for 01 Bathroom (1-2 persons)		
SW/ST/100L	1x800mmx1525mm	100 Litres
Recommended for 01 Bathroom & Pantry		
(02-03 persons)		
SW/ST/150L	1x1015mmx2010mm	150 Litres
Recommended for 02 Bathrooms & Pantry.		
(03 - 04 persons)		
SW/ST/200L	2x800mmx1525mm	200 Litres
Recommended for 03 Bathrooms & Pantry.		
(04 - 05 persons)		
SW/ST/300L	2x1015mmx2010mm	300 Litres
Recommended for 04 Bathrooms & Pantry.		
(06 - 07 persons)		
SW/ST/450L	3x1015mmx2010mm	450 Litres
Recommended for Guest Houses, Hotels & Industry.		
(08 - 10 persons)		

System Features:

- The "SOLAR THERM" Hot Water Storage Tanks are constructed out of High Grade Stainleabout.htm Steel, a corrosion-free material, that's customer-safe, with minimum maintenance.
- The Storage Tanks are designed to minimize mixing of hot & cold water during usage and are insulated with polyurethane foam ensuring superior insulation and minimizing overnight heat loss.
- "SOLAR THERM" Solar Collectors are manufactured out of copper, a super conductor of heat and corrosion-free material.
- As a standard feature, an electrical backup booster is built into the system to cater during heavy consumption days or continuous rain.

Dissemination: ~ 13,000 satisfied customer in Sri Lanka and Maldives during past 23 years. Marketed by:

ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colomobo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk; Web: www.solartherm.lk

Solar Domestic Water Heating Systems by 'Wins Solar'



Name of Device : "Wins Solar" Solar Domestic Water Heating System

Type : Flat Plate Size : N/A

Components : N/A

Proposed applications: Domestic Hot Water System

Dissemination : N/A

Marketed by : Energy Works (Private) Limited, Sri Lanka

Estimated Cost : N/A
Performance : N/A

Produced & Marketed by:

Energy Works (Private) Limited No. 106, Kinsy Road, Colombo 7


Hot line: 4333555, Email: energy@wow.lk

Solar Domestic Water Heating Systems by 'Pubudu Solar'









Capacity	100 lit	150 lit	225 lit	300 lit
Dimension	813 X 830 mm	1220 X 830 mm	1830 X 830 mm	2440 X 830 mm
Wight - wet	118 kg	176 kg	262 kg	352 kg
Material	Stainless Steel	Stainless Steel	Stainless Steel	Stainless Steel
Material	1.2 mm	1.2 mm	1.2 mm	1.2 mm
E. Element	1.2 kW	1.5 kW	3 kW	3 kW
Test Pressure	10 bars	10 bars	10 bars	10 bars

Cost: As given above

Name of Device: "PUBUDU SOLAR" Solar Domestic Water Heating Systems

Type: Flat Plate
Size: As given above

Components: Storage Tank : Stainless Steel

Insulation : High Pressure Poly Foam

Collector Top Cover : 3mm glass
Tube & Plate : Copper
Base : Fibre Glass

Applications: Water heating – Domestic, Industrial

Dissemination: Not available


Produced & Marketed by: Pubudu Solar

No. 64, Hospital Road, Mulleriyawa New Town. Tel./Fax. +94-112578096; Mobile: +94-714735567

Email: pubudusolar@gmail.com;

Web: www.solar.lk

Solar Water Heating Systems by 'Ceylinco Renewables'



			_	
Avai	lah	ᇟ	/Inc	عامة

Model	CRH-100	CRH-150	CRH-200	CRH-300	CRH-440	CRH-600	CRPH-182*	CRPH-300*
Total Capacity	100L	150L	200L	300L	440L	600L	182L	300L

Name of Device : "Ceylinco Solar Hot Water System"

Type : Flat Plate

Size : As given above Components : Not specified

Applications : Water heating – Domestic, commercial and Industrial

Dissemination : Not available

Marketed by : Ceylinco Renewables (pvt.) Ltd.

No. 33, Edmonton Road, Colombo 06.

Tel. 011 5628877, 4863433, 4882777, 4882886

Tel./Fax. 0112513260;

Email: info@ceylincorenewables.com

www.ceylincorenewables.com

Solar Domestic Water Heating Systems by 'Solar Hart'



Access Agencies offer the following Solahart products

L Series (5 year warranty)				
L	150 l			
L 2201				
L	300 1			
J Series (5 year	J Series (5 year warranty)			
Free heat series (10 year				
warranty)				

Name of Device : "Solar Hart" Solar Water Heating Systems

Type : Flat Plate

Size : As given above Components : Not specified

Applications : Water heating – Domestic, commercial and Industrial

Dissemination : World leaders in Solar Hot Water Systems. Solarhart Industries

has been manufacturing since 1905, introducing its first solar

water heater in 1953. Solahart is now a trans-national

organization operating in all continents (with installations in over

70 countries).

Marketed by : Access Agencies (Pvt) Ltd.,

No: 160/20, Kirimandala Mawatte, Narahenpita.

Customer Care Hotline: 4519178 Tel. 4519183-5, Fax. 4519180 Email: accessagencies@access.lk

Source : www.accessagencies.com

'EDWARD DOMINATOR' Solar Water Heater




Model No. 085SH



Model No. 115SH



Model No. 165SH




Model No. 230SH



Model No. 285SH



Model No. 365SH



Model No. 445SH

Name of Device : "**EDWARD** DOMINATOR" Solar Domestic Water Heater

Type : Flat Plate

Size/Model : As given above Components : Not specified

Applications : Specially designed for Upcountry and Coastal areas

Dissemination : Information is not available Sole Agent &

bole rigelit &

Assemble by : Greener Power Corporations (Pvt) Ltd.

Tel. 071 4265160; 077 382 5427 Email: gamage@solardominator.com

www.solardominator.com

Exclusive Dealer in Sri Lanka

: Dinapala Super Centre

Kandy - 081 447 1766, 081 223 6890

Yatinuwara Street – 081 222 5123, 081 447 3497

Nugegoda – 011 430 8441, 011 441 1664 Kurunegala – 037 222 2587, 037 469 1247

Factory: No. 176/01, Maravita. Dambadeniya. Service Center: No. 42, Jayadumanarama Rd, Ratmalana.

Mobile: +94 777- 260410, +94 777- 179379.

Solar Domestic Water Heating Systems by 'MAXLANKA'

Name of the System: SUNRISE SOLAR Water Heating Systems

No Details available

Supplier:

MAXLANKA INDUSTRIES (PVT) LTD No. 144, Sri Vajiragnana Mawatha, Colombo 09.

HotLine: 077 748 2880

Tel. 011 268 1658, 071 432 5251; Fax. 011 246 9778 Email: mxlanka@gmail.com; mxlanka@sltnet.lk

RE Practices in Sri Lanka - Solar Technologies Solar Domestic Water Heating System by 'SUN BIRD'





System Details:

Type	Panel Size	Tank	Usage	Roof Area	Gross Wt kg
&Model		(Liters)	Personnel)		
Comfi –	1xMedium	75	1-2	3'x6'	111
75/L/M1					
Family Junior	1xMedium	100	2-3	4'x6'	148
100/L/ME	Extended				
Family	1xExtra	150	2-4	5'x8'	210
150/L/X1	Large				
Family Plus	2xMedium	225	4-6	7'x8'	313
225/L/ME2	Extended				
Luxury	2xXL	300	6-10	9'x8'	416
300/L/X2					
Supreme	2xXL	450	8-14	9'x9'	577
450/L/XE2	Extended				

Prices vary from Rs. 76,000/= to Rs. 268,000/=

Features:

- 10 year warranty
- Electrical Booster 1200 W with Auto-thermostat $40^{\circ}\text{C} 80\text{C}^{\circ}$
- 3m 15A power cord.
- Maintenance free.
- Made to international standards.
- Easy installation (Do-it-yourself available)

Produced & Marketed by:

Jude Fernandopulle Associates (Private) Limited

No.02, Welihena, Kochchikade.

Tel. 0312277800; Fax. 0312279373: Hot Line: 0773577735

Email: sunbird@jflanka.com

Web Site: http://www.sunbird.lk

Solar Domestic Water Heating System by "Srilak Energy"



Features:

- Free of charge water heating
- Being able to purchase a high quality solar hot water system which is value for money
- Minimize the usage of electricity
- A lifetime investment
- Supply of hot water 24 hrs
- Keep temperature for 48 hrs
- Maximum protection

Extra Benefits:


- Free one year insurance cover for the system
- Free installation and services
- 10 year warranty
- Easy payment scheme
- Free transport within Colombo city limits
- Adjustable for any climatic condition

Produced & Marketed by:

J.N. Packaging Pvt. Ltd. 194/A, Stanley Thilakarathne Mawatha Nugegoda Sri Lanka.

Tel. +94 11 2612757; Hot Line: 077 2480086 Fax. +94 11 2812758\Email: srilakenergy@sltnet.lk

Solar Domestic Water Heating System by "Solco Solar"



Technical Data - Solco - 200L

1 centificat Data 50		
Capacity	-	: 200L
Weight of Unit	- Empty	: 60kg
	- Dull	: 260kg
Dimension of Tank	- Length	: 1450mm
	- Diameter	: 360mm
Dimension of Collector	- Length	: 1230mm
	- Width	: 1450mm
	- Depth	: 44mm
Overall Size of Installed	-	
System	- Length	: 1690mm
•	- Width	: 1560mm
	- Height	: 575mm
Booster	- 2400W	

Cylinder Material - Polyethylene
Cylinder Lining - Polyethylene
Cylinder Insulation - Polyethylene
Cylinder Test Pressure - 3 psi
Absorber surface finish - Polished
Collector Cover Material - Perspex

Produced & Marketed by:

PE Plus (Pvt.) Ltd. 148, Vauxhall Street Colombo 02

Tel: 4760100; Fax: 5352741 Email: peplus@slon.maharaja.lk

Domestic/Institutional Solar Water Heating System by 'Environ Energy Lanka Limited'



Features	Advantages
Storage tank is made of corrosion resistant stainless steel and PP coated aluminum cladding	Weather proof, durable and corrosion resistant
Storage tank is thermally insulated with high density PUF	Maximum heat retention
Clear Toughened Glass	For better transmission of solar radiation and high durability
Unique PP coated aluminium frame designed to withstand mechanical shocks	Long life ensuring durability
Copper absorber specially coated with selective black chrome for maximum solar absorption	Improves heat absorption even during rainy/cloudy days

Features	Advantages
Handles hard water upto 800	Reduces maintenance
PPM without drop	expenses. Does not need
in efficiency.	frequent cleaning.
The storage tank is made up	
of SS-316 grade with PUF	Maximum heat retention
insulation and SS cladding	
Tracks the sun throughout	Low start up time because
the day intercepting	of high thermal efficiency.
more than 93% of incident	Water gets heated at a faster
solar radiation.	rate.
	Requires lesser space for
Smaller system size	Installation Suitable for
	multistorey apartments.

Marketed by:

Environ Energy Lanka Ltd., #98, Ward place, Colombo – 07 Sri Lanka

Tel: +94 (11) 5379411 – 417 Fax: +94 (11) 5379410

E-mail: info@environenergy.lk

Solar Still



No details available

Source: Janathakshan.org/Practical Action, Sri Lanka

Solar PV Home Systems by 'ECOSOLAR'





Name of Device : "ECOSOLAR Home System"

Type : Solar PV home system

Size : Not available

Components : Photovoltaic (PV) Module, Controller, battery, CFL Lamps,

wiring and accessories. All components are to high quality

standards approved by the World Bank.

Applications : Provide you with back up lighting as an alternative to a generator

or inverter system

Dissemination : The Renewable Energy division imports & installs Solar Home

Systems under a World Bank sponsored project in rural unelectrified areas through Sales Centres established in the North Western, Central, Sabaragamuwa, North-East & Uva provinces. Solar Home Systems to electrify rural homes are marketed through

14 Solar Centers island-wide

Marketed by : E. B. Creasy & Co. Ltd.

No. 98, Sangaraja Mawatha, Colombo 10.

Tel. 2478770-9, 24221311-4

Fax. 2478775

Email: marketing@creasy.lk Web: www.ebcreasy.com

Estimated Cost : Not available

Performance : PV module carries a 10 year warranty.

Source : www.ebcreasy.lk

Solar Water Pump Systems by 'ECOSOLAR'





Name of Device : "ECOSOLAR Water Pumps"
Type : Solar PV operated water pumps

Size : Not available

Components : ETA Pumps from Lorentz A.G and are long lasting maintenance

free and economical. Coupled with our CEL PV Modules and ETA

Solar Tracker

Applications : Provides a economical and long lasting solution as a community

water supply system.

Dissemination : The ETA Solar pumps have been introduced to the Sri Lankan

Market by EBC and is now used in areas where there is no

electricity for agricultural (Drip Irrigation) and community water

supply projects.

Marketed by : E. B. Creasy & Co. Ltd.

No. 98, Sangaraja Mawatha, Colombo 10. Tel. 2478770-9, 24221311-4; Fax. 2478775

Email: marketing@creasy.lk Web: www.ebcreasy.com

Estimated Cost : Not available

Performance :

Source : www.ebcreasy.lk

Solar PV Home Systems by 'Ceylinco Renewables'

System Capacity	Type	Specifications
30 Watts	3-30 Watts	PV Module: BP, Webel &APX
		Battery: 45Ah (ABM)
		Controller: SSG 250
		Lamp: Sundaya, CFL (6-7W)
		Outlets: 5A
40 Watt	4-40 Watt	PV Module: BP, Webel &APX
		Battery: 60Ah (ABM)
		Controller: SSG 300
		Lamp: Sundaya, CFL (6-7W)
		Outlets: 5A
50 Watt	5-50 Watt	PV Module: BP, Webel &APX
		Battery: 70Ah (ABM)
		Controller: SSG 300
		Lamp: Sundaya, CFL (6-7W)
		Outlets: 5A
	6-60 Watt	PV Module: BP, Webel &APX
		Battery: 90Ah (ABM)
		Controller: SSG 300
		Lamp: Sundaya, CFL (6-7W)
		Outlets: 5A
	7-60 Watt	
60 Watt		PV Module: BP, Webel &APX
		Battery: 100Ah (ABM)
		Controller: SSG 400
	0.10.777	Lamp: Sundaya, CFL (6-7W)
	8-60 Watt	Outlets: 5A
		DVIM-11. DD Wil-10 ADV
		PV Module: BP, Webel &APX
		Battery: 100Ah (ABM)
		Controller: SSG 400
		Lamp: Sundaya, CFL (6-7W)
80 Watt	10-80 Watt	Outlets: 5A PV Module: BP, Webel &APX
ou waii	10-80 wan	Battery: 100Ah (ABM)
		Controller: SSG 400
		Lamp: Sundaya, CFL (6-7W)
		Outlets: 5A
		Outlets: 5A

Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka Tel: +94115628877

Tele /Fax: +94112590260

Solar PV Street Lights by 'Ceylinco Renewables'





Specifications:

40W Monocrystaline Panel, 2-35Ah Ceylinco Renewables Solar Batteries, DC Controller, Timers (Digital or Manuel), Bulbs 15W, 11W, 9W, Cobra Head shape reflector. Capable of running 6-12hrs, Could be fittedwith lighting sensors. Available in Silver, Green, Brown or custommize colors.

Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka Tel: +94115628877

Tele /Fax: +94112590260

Solar PV Portable Solar DC Lighting Systems by 'Ceylinco Renewables'



Model: SK-TPS-201

Specifications:

- A solar DC power system that support lighting, and other DC applications such as lighting ,Mobile phone, radio, recorders in area that lack of normal power suppler. (camping etc..).
- All unit of the system are pre-installed, just plug and play.
- All units of the system are pack in a suitcase, easy to carry.
- Built in charge regulators provide protection to ensure proper operation at all time.
- 3V, 6V, 9V, 12V output available for different application
- Comes with two 5W/12VDC energy saving light, Brightness equivalent to a 40W incandescent bulb.


Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka Tel: +94115628877

Tele /Fax: +94112590260

Solar PV – SF-TPS-636 Solar Fountain Pump by 'Ceylinco Renewables'



Model: SF-TPS-636

Specifications:

- Simply place on water's surface, works by direct sunlight.
- Oxygenates your pond
- Includes 3 different fountain heads
- Integrated 1.3Watt / 7V amorphous silicon solar panel
- Integrated low voltage(6V 9V) pump with filter
- Replaceable pumping unit.
- Operates in direct sunlight
- Fountain height up to 15 inches
- No wiring, simply install and enjoy. No running costs

Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka Tel: +94115628877

Tele /Fax: +94112590260

Solar PV Garden Products by 'Ceylinco Renewables'









GL-1011SSL7 (Sandstone Finish)

GL-1011SSL7 (Stainless Steel)

Gl-1011SSL7 (Oil Rubbed Brown)

GL-1011SSL7 (Verde Finish)

Specifications: 1PC 600 MAH Ni-Cd battery,1PC white LED, cell type: Monocrystaline









MODEL No. GL-1011L3 (Hanging) SPECIFICATIONS: 1PC 600 MAH Ni-Cd Battery,1PC white LED. cell type: Monocrystaline

MODEL No. GL-DBTC-A01 SPECIFICATIONS: Stainless Steel finish, 2 white led, two 600mA ni-cd batteries.

Product Size: 16*16*64cm(L*W*H) MODEL No. GL-DBTC-A06 SPECIFICATIONS:

Plastic finish, 2 white led, two 600mA ni-cd batteries. Product Size: 66X50X44 cm(L*W*H)

MODEL No. GL-17.4035 SPECIFICATIONS: E27 Stainless steel body, clear glass, Max 60W, 0.8m height



MODEL No. GL-17.1002 SPECIFICATIONS:

Stainless steel body, clear PC diffuser, with 2pcs of LED (white or yellow) with hydrogen-nickel battery AA 900mAh 2.4V, 2 years life, 8hrs nightly run time, TUV approve

Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka

Tel: +94115628877


Tele /Fax: +94112590260

Other Solar PV Products by 'Ceylinco Renewables'



MODEL No. GL-SB90MC SPECIFICATIONS:

Solar Brick-With Metal Case, Plastic Structure & Water Proof, Include 4pcs LED and 1pc 1.2V/2400MAH, NI-MH high temperature battery



MODEL No. GL-SB90CMC SPECIFICATIONS:

Solar Brick-With Metal Case, Plastic Structure & Water Proof, Include 4pcs LED and 3pcs Super Capacitor



MODEL No. GL-SB100MC SPECIFICATIONS:

Solar Brick-With Metal Case, Plastic Structure & Water Proof, Include 4pcs LED and 1pcNI-MH, high temperature battery



MODEL No. GL-SB200 SPECIFICATIONS:

Solar Glass Brick, Steel Glass Structure & Water Proof, Include 8 pcs LED and 1.2v/4000mAh, NIMH high temperature battery



MODEL No. GL-SB200C SPECIFICATIONS:

Solar Glass Brick, Steel Glass Structure & Water Proof, Include 8 pcs LED and 6 pcs, Super Capacitor



MODEL No. GL-SB300 SPECIFICATIONS:

Solar Glass Brick, Steel Glass Structure & Water Proof, Include 16 pcs LED and 2.4V/1800mAh, NIMH high temperature battery



MODEL No. GL-SG90 SPECIFICATIONS:

Solar Ground Light, Stainless Steel Structure & Water Proof, Include 6 pcs LED and 1600mAh/1.2V, NI-MH high temperature battery



MODEL No. GL-SG90C SPECIFICATIONS:

Solar Ground Light, Stainless Steel Structure & Water Proof, Include 6 pcs LED and super



MODEL No. GL-SG120 SPECIFICATIONS:

Solar Ground Light, Stainless Steel Structure & Water Proof, Include 6 pcs LED and 1600mAh/1.2V, NI-MH high temperature Battery



MODEL No. GL-SG120C

SPECIFICATIONS: Solar Ground Light, Stainless Steel Structure & Water Proof, 6pcs Surper Capacitor, NI-MH high temperature battery



MODEL No. GL-SG60

SPECIFICATIONS: Solar Ground Light, Stainless Steel Structure & Water Proof, Include 4 pcs LED and 1600mAh/1.2V, NI-MH high temperature battery

Marketed by:

Ceylinco Renewable (Pvt) Limited

No. 2, Elibank Road, Colombo - 05, Sri Lanka

Tel: +94115628877; Tele /Fax: +94112590260

Solar Products by 'Wisdom Solar'







Solar Home System



Solar Hot Water System



DC/AC TV



Solar Street Lamps

50Wp to 75Wp Multicrystalline Solar Module,12V 70-75Ah SMF led acid or Gel Battery,Push Full or blocking oscillator type Inverter ,9,11W CFL Lamp ,Cobra Head Shape reflicator ,Capable of running 6-12hrs,Avalable in Silver,Green,Red or Customize color

Solar Home System/Solar Street Lamps

Description of Components	Manufacture	Capacity	Warranty
Solar Module	Premier Solar-India	10Wp up to 100Wp	15 Years
Charge Controller	Sundaya-Indonesia Morningstar-USA Phocos-India	6Am p up to 15Amp 6Am p up to 50Amp 5Amp up to 20Amp	One Year One Year One Year
Led Acid Battery SMF & Jel Battery	ABM -Sri Lanka Champion-China	30A/h up to 200A/h 7A/h up to 150A/h	One Year Two Years
CFL Lamps DC Tubes CFL Lamps CFL Lamps	Sundaya-Indonesia Sundaya-Indonesia Priemier-India HPI	3W up to 18W 6W 6W, up to 18W	One Year One Year One Year One Year
Cables	Sundaya-Indonesia ACL -Sri Lanka	1.5mm & 2.5mm	
Switches & plug	Orange-Sri Lanka Clipsal-Australia	5Am ps 5Am ps	

Marketed by:

Wisdom Solar (Pvt) Ltd, No 434 Thalawathugoda Rd , Madiwela, Kotte. Tel -+(94) 11 2779790-1 & 011 4958 938, Fax: 001 277 9790

Mob: 077 751 5595 www.wisdomsolar.lk

Solar Street lights by 'Environ Energy Lanka Limited'



Specifications:

. 1				
Parameter	Model YL 40	Model YL 50	Model YL 75	Model YL 100
Solar Module	40Wp	50Wp	75Wp	100Wp
Battery	12V/40Ah	12V/60Ah	12V/60Ah	12V/100Ah
Lamp	11W CFL	11W CFL	11W CFL	11W CFL
Daily Operation	10hr	10h	Dusk to Dawn	Dusk to Dawn

Marketed by:

Environ Energy Lanka Ltd., #98, Ward place, Colombo – 07 Sri Lanka

Tel: +94 (11) 5379411 – 417 Fax: +94 (11) 5379410

E-mail: info@environenergy.lk

Solar Thermal Technologies - Solar Still by NERD Centre



Features:

- Increased heat absorber area due to the use of corrugated sheet.
- Durable and cost effective due to the construction of base frame using concrete.
- To prevent heat loss, bottom of corrugated sheet is insulated.
- Optimized the distance between corrugated sheet and the top glass in order to obtain high efficiency
- Placed at an angle of 10 Degrees (Latitude angle) to the horizontal in order to get maximum solar radiation.

Size and Capacity;

- 4 ft X 3 ft surface area
- Can obtain ~ 4-5 liters of clean water on good sunny day

Operation:

No operational cost and minimum maintenance as there are no moving parts.

Enquiries:

Techno Marketing Department National Engineering Research and Development Centre Ekala, Jaela.

Tel. 2236284, 2236 384, 2236307

Fax. 5354597

Email: nerdcentre@nerdc.lk

Solar Thermal Technologies – Integrated Solar Water Heater by NERD Centre



Features:

- Solar energy collector and the storage tank are integrated as one unit.
- A number of cylindrical tanks (made of stainless steel) are kept together and are connected in parallel at the two ends. Top surfaces of these cylinders are exposed to sun's radiation and act as the collector surface and transfer the heat to water inside the cylinder.
- Bottom of the cylinders are insulated.
- Cylinders are covered by a glass.
- Booster electrical heater is included for use in cloudy/rainy days.

Size and Capacity:

- $LxWxH = 1.2mx \ 0.6m \ x \ 27cm$.
- Weight ~ 20 kg (empty)
- Capacity ~ 15 gallon

Operation:

• No operational cost and minimum maintenance as there are no moving parts.

Enquiries:

Techno Marketing Department National Engineering Research and Development Centre Ekala, Jaela.

Tel. 2236284, 2236 384, 2236307

Fax. 5354597

Email: nerdcentre@nerdc.lk

Solar Thermal Technologies – Solar Dryer by NERD Centre



Features:

- Cabinet type dryer where materials being dried are kept in an enclosed environment
- A Passive system
- Provision for operation using saw dust as well on cloudy/rainy days, in the night, etc.
- Since the materials being dried are not exposed to direct solar radiation or to flue gas from saw dust stove, the quality of drying material is maintained.

Size & Capacity:

- Solar collector area 32 Sq. ft
- 8-12 kg (wet) of material could be dried in 18 hrs

Enquiries:

Techno Marketing Department National Engineering Research and Development Centre Ekala, Jaela.

Tel. 2236284, 2236 384, 2236307

Fax. 5354597

Email: nerdcentre@nerdc.lk

Solar PV Technologies - Yoghurt Incubator

Cost Effective Yoghurt Incubator



Name of the Product : Yoghurt Incubator Capacity : 200 cups per batch Capacity : 200 cups per batch

Electricity : 230, 50Hz, Can be powered by Solar PV also

Power consumption : 80W

Construction : Wooden with foil on the inner walls

Temperature control : Thermostatically. Auto

Cost : Rs. 20,000

Enquiries:

Techno Marketing Department National Engineering Research and Development Centre Ekala, Jaela.

Tel. 2236284, 2236 384, 2236307

Fax. 5354597

Email: nerdcentre@nerdc.lk

List of Manufacturers of Solar Products

Yoghurt Incubator – NERDC Licensees

 Mr. J.A.A.P. Jayasinghe Tel. 011 2295945, 077 6169166 261C, Nilpanagoda,

Wagowwa

2. Mr. N.D.P. Edward

Tel. 031 2241871, 031 4871543, 0777 478861

281, "Sisila" Dagonna

3. Mr. P.K. Somapala

Tel. 011 2232252

35/36, Gallawatta

Ekala

Technology Providers

1. National Engineering Research & Development Centre

Ekala, Jaela Sri Lanka

Tel. 011 2236284, 011 2236307, 011 2236384

Fax. 011 5354597

Email: nerdcentre@nerdc.lk

www.nerdc.lk

Producers & Marketeers

1. ALPHA THERMAL SYSTEMS (PVT) LTD

121, Castle Street, Colombo 08

Tel. 267 9944, 267 0544

E-mail: solartherm@eureka.lk Web: www.solartherm.lk

2. Energy Works (Private) Limited

435 2/21, Regent Plaza

Maradana Road

Colombo 10

Tel: +94 11 4720296, 4724986

Fax: +94 11 4720297; Hot line: 4333555,

Email: energy@wow.lk

3. Pubudu Solar

No. 64, Hospital Road, Mulleriyawa New Town. Tel./Fax. +94-112578096; Mobile: +94-714735567

1e1./Fax. +94-1125/8090; Mobile: +94-/14/5550

Email: pubudusolar@gmail.com;

Web: www.solar.lk

4. Cevlinco Renewables (pvt.) Ltd.

No. 33, Edmonton Road, Colombo 06.

Tel. 011 5628877, 4863433, 4882777, 4882886

Tel./Fax. 0112513260:

Email: info@ceylincorenewables.com

www.ceylincorenewables.com

5. E. B. Creasy & Co. Ltd.

No. 98, Sangaraja Mawatha, Colombo 10.

Tel. 2478770-9, 24221311-4 ; Fax. 2478775

Email: marketing@creasy.lk Web: www.ebcreasy.com

6. Environ Energy Lanka Limited 98, Ward Place

Colombo 7

Tel: +94 11 5379411-7 Fax: +94 11 5379410

E-mail: info@environenergy.lk

Contact Person: Mr Arun Gamalatge

Formerly known as Shell Solar Lanka Limited

7. High Tech Solar Systems (Pvt) Ltd

64/3, Perivena Road

Ratmalana

Tel: +94 11 2730502, 2730505

Fax: +94 11 2730505 E-mail: Devi001@sltnet.lk

Contact Person: Mr V Vijeyeraj

8. HPI Solar (Pvt) Ltd

92/A, G.H. Perera Mawatha

Raththanapitiya Boralesgamuwa

Tel: +94 11 430 6690, 4301833

Fax: +94 11 254 5192 E-mail: <u>info@hpisolar.com</u>

Contact Person:

Manjula Wickrematillake

9. Softlogic Solar (Pvt) Ltd

3rd Floor, Softlogic Building 14, De Fonseka Place

Colombo 5

Tel: +94 11 5391100 Fax: +94 11 5374481

E-mail: Sampath@softlogic.lk

Contact Person:

Mr Sampath Amarasekera

10. Sundaya Lanka (Pvt) Ltd

6B, Agaradaguru Mawatha

Ekala 11380

Ja-Ela

Tel: +94 11 2229574 Fax: +94 11 2232769

E-mail: info.lk@sundaya.com

Contact Person:

Mr Rohan Jayawardena

11. Suriyavahini (Pvt) Ltd

444/10/C1, Delgahawatte Road

Ratmalana

Tel: +94 11 2685225, 4952932, 2738486, 4542790

Fax: +94 11 2738486, 4542791 E-mail: pradipj@suryavahini.com

Contact Person:

Mr Pradip Jayawardena

12. Vidula Energy (Private) Limited 434, Thalawathugoda Road

Madiwela

Kotte

Tel: +94 11 4880440, 4880330

Fax: +94 11 2779790 E-mail: vidul@sltnet.lk

Contact Person:

Mr Herath Dissanayake

Formerly known as Vidul Energy (Pvt) Ltd

13. Wisdom Solar (Pvt) Ltd

434, Thalawathugoda Road

Madiwela

Kotte

Tel: +94 11 2779790-1 Fax: +94 11 4880330 E-mail: herathd@sltnet.lk

Contact Person:

Mr Herath Dissanayake